


PageSpeed Insights

Mobile



Startseite

Wir verfügen über mehr als 20 Jahre Erfahrung im Kfz-Einzelhandel und fünf gut sortierte Niederlassungen für Trier, Leipzig und Mainz. Unsere freundlichen, enthusiastischen und sachkundigen Mitarbeiter sind immer bereit, Ihnen zu helfen und alle Ihre Fragen zu beantworten. Unabhängig davon, ob Sie eine einfache Glühbirne oder einen Satz Leichtmetallfelgen kaufen, wird unsere Servicequalität nicht weniger als ausgezeichnet sein, und wir sind stolz darauf, diese



78 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 9 blocking script resources and 5 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://c.ad6media.fr/l.js>
- <http://autowoche.unblog.fr/wp-includes/js/jquery/jquery.js?ver=1.10.2>
- <http://autowoche.unblog.fr/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.2.1>
- <http://autowoche.unblog.fr/wp-includes/js/utills.min.js?ver=3.7.5>

Mobile

- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/js/global.min.js?ver=1.0
- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/js/global-front.min.js?ver=1.0
- <http://autowoche.unblog.fr/wp-includes/js/comment-reply.min.js?ver=3.7.5>
- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/js/jquery-cookie.js?ver=1.0
- <http://www4.unblog.fr/cu.js?ver=1.2>

[Optimize CSS Delivery](#) of the following:

- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/css/global.min.css?ver=1.12
- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/css/global-front.min.css?ver=1.13
- <http://autowoche.unblog.fr/wp-includes/js/thickbox/thickbox.css?ver=20121105>
- <http://fonts.googleapis.com/css?family=Oswald%3A400%2C300%2C700%7CLato%3A400%2C300%2C700%2C900%7CWork+Sans%3A400%2C300%2C500%2C600%2C700%2C800%2C900%7COpen+Sans%3A400%2C600%2C700%2C800%7CPlayfair+Display%3A400%2C700%2C900%2C400italic%7CRaleway%3A400%2C300%2C500%2C600%2C700%2C800%2C900%7CRoboto%3A400%2C300%2C100%2C700%7CMontserrat%3A400%2C700&subset=latin%2Cgreek%2Cgreek-ext%2Cvietnamese%2Ccyrillic-ext%2Clatin-ext%2Ccyrillic&ver=3.7.5>
- <http://autowoche.unblog.fr/wp-content/themes/woohoo/ub.css?ver=4>



Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.google-analytics.com/analytics.js> (2 hours)

Reduce server response time

Mobile

In our test, your server responded in 0.29 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 157B (14% reduction).

- Minifying <http://autowoche.unblog.fr/wp-includes/js/thickbox/thickbox.css?ver=20121105> could save 157B (14% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 950B (12% reduction).

- Minifying <http://autowoche.unblog.fr/> could save 950B (12% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 4.4KiB (28% reduction).

Mobile

- Minifying <http://autowoche.unblog.fr/wp-content/themes/woohoo/js/main.js?ver=1.3.1u1> could save 1.4KiB (27% reduction) after compression.
- Minifying <http://autowoche.unblog.fr/wp-includes/js/thickbox/thickbox.js?ver=3.1-20121105> could save 1.1KiB (31% reduction) after compression.
- Minifying http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/js/jquery-cookie.js?ver=1.0 could save 1KiB (68% reduction) after compression.
- Minifying <http://autowoche.unblog.fr/wp-content/themes/woohoo/js/search.js?ver=3.7.5> could save 391B (13% reduction) after compression.
- Minifying <http://autowoche.unblog.fr/wp-content/themes/woohoo/js/widget-ajax.js?ver=1.0> could save 267B (20% reduction) after compression.
- Minifying <http://autowoche.unblog.fr/wp-content/themes/woohoo/framework/shorty/js/blocks.js?ver=1.0> could save 246B (20% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 242B (30% reduction).

- Compressing <http://logv11.xiti.com/g.xiti?s=469343&p=&hl=1x42x12&r=412x732x24x24&ref=&Rdt=On> could save 242B (30% reduction).



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

Mobile

You have compression enabled. Learn more about [enabling compression](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

97 / 100 User Experience

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `April 2019` and 3 others are close to other tap targets.
- The tap target `` is close to 1 other tap targets.
- The tap target `Lesamisdusolex` and 2 others are close to other tap targets.
- The tap target `Mameganegt` and 2 others are close to other tap targets.

4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many

Mobile

platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).


Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



91 / 100 Speed

! Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the

Desktop

browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://www.google-analytics.com/analytics.js> (2 hours)

Reduce server response time

In our test, your server responded in 0.29 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 157B (14% reduction).

- Minifying <http://autowoche.unblog.fr/wp-includes/js/thickbox/thickbox.css?ver=20121105> could save 157B (14% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 950B (12% reduction).

Desktop

- Minifying <http://autowoche.unblog.fr/> could save 950B (12% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 4.4KiB (28% reduction).

- Minifying <http://autowoche.unblog.fr/wp-content/themes/woohoo/js/main.js?ver=1.3.1u1> could save 1.4KiB (27% reduction) after compression.
- Minifying <http://autowoche.unblog.fr/wp-includes/js/thickbox/thickbox.js?ver=3.1-20121105> could save 1.1KiB (31% reduction) after compression.
- Minifying http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/js/jquery-cookie.js?ver=1.0 could save 1KiB (68% reduction) after compression.
- Minifying <http://autowoche.unblog.fr/wp-content/themes/woohoo/js/search.js?ver=3.7.5> could save 391B (13% reduction) after compression.
- Minifying <http://autowoche.unblog.fr/wp-content/themes/woohoo/js/widget-ajax.js?ver=1.0> could save 267B (20% reduction) after compression.
- Minifying <http://autowoche.unblog.fr/wp-content/themes/woohoo/framework/shorty/js/blocks.js?ver=1.0> could save 246B (20% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 9 blocking script resources and 5 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

Desktop

- <http://c.ad6media.fr/l.js>
- <http://autowoche.unblog.fr/wp-includes/js/jquery/jquery.js?ver=1.10.2>
- <http://autowoche.unblog.fr/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.2.1>
- <http://autowoche.unblog.fr/wp-includes/js/utills.min.js?ver=3.7.5>
- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/js/global.min.js?ver=1.0
- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/js/global-front.min.js?ver=1.0
- <http://autowoche.unblog.fr/wp-includes/js/comment-reply.min.js?ver=3.7.5>
- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/js/jquery-cookie.js?ver=1.0
- <http://www4.unblog.fr/cu.js?ver=1.2>

[Optimize CSS Delivery](#) of the following:

- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/css/global.min.css?ver=1.12
- http://4.cdnblog.fr/wp-content/mu-plugins/add_to_wp/css/global-front.min.css?ver=1.13
- <http://autowoche.unblog.fr/wp-includes/js/thickbox/thickbox.css?ver=20121105>
- <http://fonts.googleapis.com/css?family=Oswald%3A400%2C300%2C700%7CLato%3A400%2C300%2C700%2C900%7CWork+Sans%3A400%2C300%2C500%2C600%2C700%2C800%2C900%7COpen+Sans%3A400%2C600%2C700%2C800%7CPlayfair+Display%3A400%2C700%2C900%2C400italic%7CRaleway%3A400%2C300%2C500%2C600%2C700%2C800%2C900%7CRoboto%3A400%2C300%2C100%2C700%7CMontserrat%3A400%2C700&subset=latin%2Cgreek%2Cgreek-ext%2Cvietnamese%2Ccyrillic-ext%2Clatin-ext%2Ccyrillic&ver=3.7.5>
- <http://autowoche.unblog.fr/wp-content/themes/woohoo/ub.css?ver=4>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 242B (30% reduction).

- Compressing
<http://logv11.xiti.com/g.xiti?s=469343&p=&hl=1x42x16&r=1366x768x24x24&ref=&Rdt=O>
n could save 242B (30% reduction).



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).